

Package: joker (via r-universe)

September 25, 2024

Type Package

Title Return a Random Joke from APIs

Version 0.0.3

Description What is funnier than a joke? A joke in R! This package utilizes the APIs for <https://icanhazdadjoke.com> and <https://chucknorris.io> and returns a random dadjoke or Chuck Norris joke.

License MIT + file LICENSE

Depends R (>= 3.0.0)

Imports httr, jsonlite, curl

LazyData true

RoxygenNote 7.1.0

Encoding UTF-8

Suggests testthat, httpptest

Repository <https://tanho63.r-universe.dev>

RemoteUrl <https://github.com/tanho63/joker>

RemoteRef HEAD

RemoteSha 0adc9dbef887ab3985477611c51aa843d44b937f

Contents

chuckjoke	2
dadjoke	2
randomjoke	3

Index	4
--------------	----------

`chuckjoke`*Function to return random Chuck Norris joke*

Description

This function returns a random Chuck Norris joke from <https://chucknorris.io>

Usage

```
chuckjoke(sfw = TRUE)
```

Arguments

`sfw` (Defaults to TRUE) Filters out explicit, political, and religion jokes from the potential returns.

Value

A random Chuck Norris joke from <https://chucknorris.io>

Examples

```
chuckjoke()  
chuckjoke(sfw=FALSE)
```

`dadjoke`*Function to return random dad joke*

Description

This function returns a random dad joke from <https://icanhazdadjoke.com>

Usage

```
dadjoke()
```

Examples

```
dadjoke()
```

randomjoke

Function to return random joke from package functions

Description

This function chooses a joke to return, calling either dadjoke() or chuckjoke() at random.

Usage

```
randomjoke()
```

Examples

```
randomjoke()
```

Index

chuckjoke, [2](#)

dadjoke, [2](#)

randomjoke, [3](#)